

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service
Cotton and Tobacco Program
Memphis, Tennessee

DEC 10 2010

UNITED STATES

Cotton Quality Report



Classings Through December 2, 2010

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through December 2, 2010

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	-	4	90	1,107	7,826	49,218	184,384	450,032	692,661
	3	-	-	29	391	3,437	20,027	74,932	198,900	297,716
	4	-	-	3	10	147	1,048	4,743	12,549	18,500
	5	-	-	-	-	3	19	101	285	408
	6	-	-	-	-	-	-	2	2	4
	7	-	-	-	-	-	-	-	-	-
	TOTAL----	-	4	122	1,508	11,413	70,312	264,162	661,768	1,009,289
31	1-2	-	-	26	430	3,278	15,577	53,006	110,561	182,878
	3	-	-	101	1,243	10,752	54,240	196,078	497,464	759,878
	4	-	-	32	265	2,043	12,280	52,540	170,080	237,240
	5	-	-	1	10	127	921	4,630	15,021	20,710
	6	-	-	-	-	4	46	332	754	1,136
	7	-	-	-	-	-	3	16	17	36
	TOTAL----	-	-	160	1,948	16,204	83,067	306,602	793,897	1,201,878
41	1-2	-	-	5	28	361	2,115	8,506	16,132	27,147
	3	-	-	15	263	2,906	19,393	79,048	194,299	295,924
	4	-	-	8	105	1,320	9,249	43,522	146,076	200,280
	5	-	-	1	21	245	1,788	8,521	33,929	44,505
	6	-	-	-	6	33	222	1,333	5,323	6,917
	7	-	-	-	2	2	43	201	504	752
	TOTAL----	-	-	29	425	4,867	32,810	141,131	396,263	575,525
51	1-2	-	-	-	3	61	534	1,674	2,486	4,758
	3	-	-	6	11	316	2,893	14,488	35,478	53,192
	4	-	-	3	4	71	1,242	9,135	28,890	39,345
	5	-	-	-	1	20	230	1,761	6,473	8,485
	6	-	-	-	-	2	46	345	1,164	1,557
	7	-	-	-	-	1	16	99	347	463
	TOTAL----	-	-	9	19	471	4,961	27,502	74,838	107,800
61	1-2	-	-	-	-	1	-	7	6	14
	3	-	-	-	1	10	60	129	395	595
	4	-	-	-	-	9	49	207	548	813
	5	-	-	-	-	4	20	115	272	411
	6	-	-	-	-	-	7	43	61	111
	7	-	-	-	-	1	6	18	14	39
	TOTAL----	-	-	-	1	25	142	519	1,296	1,983
71	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	1	16	84	576	3,122	9,594	16,612	30,005
	3	-	-	28	185	690	2,955	8,229	15,625	27,712
	4	-	-	6	37	127	534	1,285	2,470	4,459
	5	-	-	-	-	9	31	101	151	292
	6	-	-	-	-	-	3	13	33	49
	7	-	-	-	-	-	-	2	3	5
	TOTAL----	-	1	50	306	1,402	6,645	19,224	34,894	62,522
32	1-2	-	-	10	40	303	1,437	3,110	4,085	8,985
	3	-	-	23	292	1,951	8,245	16,780	22,585	49,876
	4	-	-	21	182	1,273	4,884	11,763	17,133	35,256
	5	-	-	3	24	194	734	1,983	3,365	6,303
	6	-	-	-	2	18	65	178	360	623
	7	-	-	-	-	-	3	26	49	78
	TOTAL----	-	-	57	540	3,739	15,368	33,840	47,577	101,121
42	1-2	-	-	1	2	79	494	2,000	4,533	7,109
	3	-	-	9	107	685	3,747	14,479	37,979	57,006
	4	-	-	11	130	891	4,234	13,376	28,945	47,587
	5	-	-	4	51	362	1,759	4,955	10,497	17,628
	6	-	-	-	14	44	257	895	2,059	3,289
	7	-	-	-	-	7	58	212	391	668
	TOTAL----	-	-	25	304	2,068	10,549	35,917	84,404	133,267
52	1-2	-	-	-	4	172	1,040	1,877	2,353	5,446
	3	-	-	-	17	771	5,918	18,475	34,233	59,414
	4	-	-	-	4	169	1,805	9,274	24,995	36,247
	5	-	-	-	1	24	264	1,691	5,602	7,582
	6	-	-	-	-	3	37	316	1,252	1,608
	7	-	-	-	-	1	11	98	318	428
	TOTAL----	-	-	-	26	1,140	9,075	31,731	68,753	110,725

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through December 2, 2010

QUALITY	LEAF	STAPLE								
COLOR		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	-	-	3	17	13	27	60
	3	-	-	-	-	34	182	549	1,011	1,776
	4	-	-	-	-	11	113	450	1,397	1,971
	5	-	-	-	-	2	21	146	510	679
	6	-	-	-	-	-	14	79	225	318
	7	-	-	-	-	-	17	32	61	110
TOTAL----		-	-	-	-	50	364	1,269	3,231	4,914
13 & 23	1-2	-	-	1	6	25	216	662	1,416	2,326
	3	-	-	-	5	13	128	607	1,602	2,355
	4	-	-	-	7	9	22	120	219	377
	5	-	-	-	-	-	5	76	70	151
	6	-	-	-	-	-	-	16	48	64
	7	-	-	-	-	-	-	1	5	6
TOTAL----		-	-	1	18	47	371	1,482	3,360	5,279
33	1-2	-	-	-	4	52	124	348	553	1,081
	3	-	-	-	25	133	470	1,184	2,066	3,878
	4	-	-	-	32	117	306	643	1,030	2,128
	5	-	-	-	16	43	94	227	253	633
	6	-	-	-	2	14	30	51	19	116
	7	-	-	-	-	5	11	6	15	37
TOTAL----		-	-	-	79	364	1,035	2,459	3,936	7,873
43	1-2	-	-	-	-	3	21	72	177	273
	3	-	-	2	10	74	267	577	1,224	2,154
	4	-	-	2	19	117	352	600	1,181	2,271
	5	-	-	-	13	82	306	471	628	1,500
	6	-	-	-	5	38	150	233	253	679
	7	-	-	-	-	6	41	88	94	229
TOTAL----		-	-	4	47	320	1,137	2,041	3,557	7,106
53	1-2	-	-	-	-	1	24	57	56	138
	3	-	-	-	-	15	134	448	1,074	1,671
	4	-	-	-	-	8	61	329	1,118	1,516
	5	-	-	-	-	2	17	153	841	1,013
	6	-	-	-	-	-	10	80	316	406
	7	-	-	-	-	-	10	59	94	163
TOTAL----		-	-	-	-	26	256	1,126	3,499	4,907
63	1-2	-	-	-	-	-	-	7	5	12
	3	-	-	-	-	-	8	32	73	113
	4	-	-	-	-	-	8	39	188	235
	5	-	-	-	-	-	4	32	101	137
	6	-	-	-	-	-	-	27	66	93
	7	-	-	-	-	-	-	14	53	67
TOTAL----		-	-	-	-	-	20	151	486	657
24-54	1-7	-	-	1	8	30	103	390	790	1,322
25-35	1-7	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	5	11	120	136
All Colors	8 2/	-	-	-	-	13	53	248	378	692
TOTAL, ALL----		0	5	458	5,229	42,179	236,272	869,808	2,183,053	3,337,004

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through December 2, 2010

QUALITY		STAPLE							
COLOR	LEAF	35	36	37	38	39	40 & +	35 to 40+	TOTAL
11 & 21	1-2	Bales 714,678	Bales 776,958	Bales 654,078	Bales 143,216	Bales 33,611	Bales 13,878	Bales 2,336,419	Bales 3,029,080
	3	333,693	374,455	366,716	101,912	21,828	2,436	1,200,840	1,498,556
	4	23,949	27,836	25,814	8,471	2,095	202	88,367	106,867
	5	694	874	819	183	70	20	2,660	3,068
	6	13	26	11	4	1	-	55	59
	7	-	-	-	-	-	-	-	-
	TOTAL----		1,073,027	1,180,149	1,047,438	253,786	57,405	16,536	3,628,341
31	1-2	157,550	146,136	82,501	16,515	12,898	20,619	436,219	619,097
	3	769,383	702,576	423,405	70,799	17,245	12,731	1,996,139	2,756,017
	4	316,509	315,607	210,941	37,599	7,100	998	888,754	1,125,994
	5	29,992	31,290	21,638	4,405	929	62	88,316	109,026
	6	1,221	1,366	1,098	183	41	1	3,910	5,046
	7	26	26	43	1	1	-	97	133
	TOTAL----		1,274,681	1,197,001	739,626	129,502	38,214	34,411	3,413,435
41	1-2	17,297	12,049	6,394	617	428	1,590	38,375	65,522
	3	258,476	184,617	88,457	9,529	1,964	5,253	548,296	844,220
	4	264,234	247,192	145,630	19,544	2,914	890	680,404	880,684
	5	73,916	78,208	54,563	7,799	1,447	143	216,076	260,581
	6	12,456	12,750	8,420	1,086	270	25	35,007	41,924
	7	1,150	1,370	910	109	22	5	3,566	4,318
	TOTAL----		627,529	536,186	304,374	38,684	7,045	7,906	1,521,724
51	1-2	1,890	822	276	21	1	10	3,020	7,778
	3	43,210	26,060	11,373	1,541	100	86	82,370	135,562
	4	44,464	30,351	16,281	2,883	278	27	94,284	133,629
	5	11,372	9,524	5,598	785	115	4	27,398	35,883
	6	1,857	1,931	1,190	189	51	7	5,225	6,782
	7	517	469	408	51	10	1	1,456	1,919
	TOTAL----		103,310	69,157	35,126	5,470	555	135	213,753
61	1-2	2	5	4	-	-	-	11	25
	3	626	438	151	41	4	-	1,260	1,855
	4	769	637	275	84	11	-	1,776	2,589
	5	251	101	71	21	3	-	447	858
	6	46	17	23	4	1	-	91	202
	7	15	4	9	2	-	-	30	69
	TOTAL----		1,709	1,202	533	152	19	-	3,615
71	1-2	-	-	-	-	-	-	-	-
	3	1	-	-	-	-	-	1	1
	4	1	-	-	-	-	-	1	1
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	1	-	-	-	-	1	2	2
	TOTAL----		3	-	-	-	-	1	4
12 & 22	1-2	21,442	16,393	8,126	1,016	248	125	47,350	77,355
	3	21,986	21,279	14,412	2,791	532	63	61,063	88,775
	4	3,433	3,659	3,061	649	140	19	10,961	15,420
	5	194	388	604	51	12	4	1,253	1,545
	6	22	81	103	18	-	-	224	273
	7	2	2	4	1	-	-	9	14
	TOTAL----		47,079	41,802	26,310	4,526	932	211	120,860
32	1-2	4,259	2,705	1,408	242	167	479	9,260	18,245
	3	26,792	19,326	11,750	2,732	778	421	61,799	111,675
	4	18,087	14,698	10,046	2,700	645	116	46,292	81,548
	5	4,079	4,011	3,063	570	111	25	11,859	18,162
	6	472	623	580	166	13	-	1,854	2,477
	7	38	73	103	16	-	-	230	308
	TOTAL----		53,727	41,436	26,950	6,426	1,714	1,041	131,294
42	1-2	4,492	1,871	512	59	33	100	7,067	14,176
	3	50,875	31,018	10,781	957	219	313	94,163	151,169
	4	39,561	32,062	15,718	2,253	402	78	90,074	137,661
	5	14,716	12,462	6,854	1,004	205	37	35,278	52,906
	6	3,204	2,611	1,771	321	43	3	7,953	11,222
	7	636	743	613	174	19	1	2,186	2,854
	TOTAL----		113,484	80,767	36,249	4,768	921	532	236,721
52	1-2	1,402	571	107	6	6	2	2,094	7,540
	3	33,887	17,509	5,031	402	36	36	56,901	116,315
	4	32,919	19,919	7,994	1,005	85	4	61,926	98,173
	5	8,942	7,324	3,497	467	36	1	20,267	27,849
	6	1,833	1,396	887	103	31	2	4,252	5,860
	7	532	265	193	20	6	-	1,016	1,444
	TOTAL----		79,515	46,984	17,709	2,003	200	45	146,456

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through December 2, 2010

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	21	3	3	-	-	-	27
	3	1,007	711	327	40	4	-	2,089
	4	1,708	1,199	694	119	16	3	3,739
	5	688	413	291	42	1	-	1,435
	6	174	64	149	21	2	-	410
	7	46	18	50	4	1	-	119
TOTAL----		3,644	2,408	1,514	226	24	3	7,819
13 & 23	1-2	2,019	1,886	986	139	10	5	5,045
	3	2,388	2,582	1,720	317	40	1	7,048
	4	281	345	224	44	14	2	910
	5	17	91	31	-	1	-	140
	6	12	46	34	-	-	-	92
	7	7	4	4	-	-	-	15
TOTAL----		4,724	4,954	2,999	500	65	8	13,250
33	1-2	653	697	409	84	15	1	1,859
	3	3,326	3,782	3,027	776	155	5	11,071
	4	1,764	1,837	1,474	425	91	7	5,598
	5	325	387	339	64	10	-	1,125
	6	22	37	50	6	2	-	117
	7	16	22	16	2	-	-	56
TOTAL----		6,106	6,762	5,315	1,357	273	13	19,826
43	1-2	126	64	42	9	3	-	244
	3	1,603	1,242	955	341	88	14	4,243
	4	1,562	1,786	1,513	625	129	11	5,626
	5	713	871	618	208	61	7	2,478
	6	192	231	188	45	11	1	668
	7	58	71	57	12	4	-	202
TOTAL----		4,254	4,265	3,373	1,240	296	33	13,461
53	1-2	54	11	5	2	3	-	75
	3	1,335	738	270	34	9	1	2,387
	4	2,088	1,366	553	116	47	4	4,174
	5	1,563	993	347	96	27	3	3,029
	6	528	301	169	32	17	2	1,049
	7	132	73	45	6	4	-	260
TOTAL----		5,700	3,482	1,389	286	107	10	10,974
63	1-2	3	-	-	-	-	-	3
	3	164	111	27	9	-	-	311
	4	285	186	119	107	3	2	702
	5	213	123	116	185	4	-	641
	6	130	71	59	36	-	-	296
	7	70	61	25	1	-	-	157
TOTAL----		865	552	346	338	7	2	2,110
24-54	1-7	1,450	1,664	1,453	567	135	8	5,277
25-35	1-7	-	1	-	1	-	-	2
81-85 1/	1-7	225	220	231	109	34	2	821
All Colors	8 2/	373	565	621	100	18	2	1,679
TOTAL, ALL-----		3,401,411	3,219,560	2,251,565	450,067	107,979	35,622	9,491,485
EXTRANEIOUS MATTER		Average Staple -----						
		Percent Tenderable -----						
Bark - Level 1		349,871						
Bark - Level 2		59						
Grass - Level 1		21,373						
Grass - Level 2		276						
Prep - Level 1		2,723						
Prep - Level 2		30						
Other - Level 1		40						
Other - Level 2		-						

12,828,489 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	*	0.1	0.4	1.4	3.5	5.6	6.1	5.1	1.1	0.3	0.1	23.6
	3	-	-	*	*	*	0.2	0.6	1.6	2.6	2.9	2.9	0.8	0.2	*	11.7
	4	-	-	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	*	*	*	0.1	0.5	2.1	5.2	8.4	9.2	8.2	2.0	0.4	0.1	36.2
31	1-2	-	-	*	*	*	0.1	0.4	0.9	1.2	1.1	0.6	0.1	0.1	0.2	4.8
	3	-	-	*	*	0.1	0.4	1.5	3.9	6.0	5.5	3.3	0.6	0.1	0.1	21.5
	4	-	-	*	*	*	0.1	0.4	1.3	2.5	2.5	1.6	0.3	0.1	*	8.8
	5	-	-	*	*	*	*	*	0.1	0.2	0.2	0.2	*	*	*	0.8
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	0.1	0.6	2.4	6.2	9.9	9.3	5.8	1.0	0.3	0.3	36.0
41	1-2	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	3	-	-	*	*	*	0.2	0.6	1.5	2.0	1.4	0.7	0.1	*	*	6.6
	4	-	-	*	*	*	0.1	0.3	1.1	2.1	1.9	1.1	0.2	*	*	6.9
	5	-	-	*	*	*	*	0.1	0.3	0.6	0.6	0.4	0.1	*	*	2.0
	6	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.3
TOTAL----		-	-	*	*	*	0.3	1.1	3.1	4.9	4.2	2.4	0.3	0.1	0.1	16.3
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	0.1	0.3	0.3	0.2	0.1	*	*	*	1.1
	4	-	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	1.0
	5	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL----		-	-	*	*	*	*	0.2	0.6	0.8	0.5	0.3	*	*	*	2.5
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	*	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	0.6
	3	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.7
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	0.1	0.1	0.3	0.4	0.3	0.2	*	*	*	1.4
32	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	*	0.9
	4	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	0.1	0.3	0.4	0.4	0.3	0.2	0.1	*	*	1.8
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	0.1	0.3	0.4	0.2	0.1	*	*	*	1.2
	4	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	1.1
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL----		-	-	*	*	*	0.1	0.3	0.7	0.9	0.6	0.3	*	*	*	2.9
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	*	*	0.9
	4	-	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	0.8
	5	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	0.1	0.2	0.5	0.6	0.4	0.1	*	*	*	2.0

* Less than 0.05 percent.

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	0.1	*	*	*	*	0.2
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	0.3	1.8	6.8	17.0	26.5	25.1	17.6	3.5	0.8	0.5	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	2.7															Average Staple 35.4
Bark - Level 2	*															Percent Tenderable 64.0
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

12,828,489 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	0.2	0.5	1.3	1.4	1.0	0.7	0.2	*	-	-	5.2
	3	-	-	*	*	0.2	0.6	1.1	1.5	1.3	0.9	0.2	*	*	-	5.8
	4	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.3	1.1	2.5	3.0	2.5	1.6	0.4	*	*	-	11.4
31	1-2	-	-	*	*	0.2	0.9	1.9	2.2	2.0	1.1	0.4	*	*	-	8.9
	3	-	-	*	0.1	0.7	2.5	5.4	7.8	7.5	4.5	1.3	0.1	*	-	29.9
	4	-	-	*	*	0.1	0.6	1.4	2.9	3.9	2.7	0.9	0.1	*	-	12.5
	5	-	-	-	-	*	*	0.1	0.2	0.4	0.3	0.2	*	-	-	1.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	0.1	1.1	4.0	8.8	13.2	13.7	8.8	2.7	0.2	*	-	52.5
41	1-2	-	-	*	*	*	0.1	0.3	0.4	0.3	0.3	0.1	*	-	-	1.6
	3	-	-	*	*	0.2	1.0	2.4	3.4	3.0	1.7	0.7	0.1	*	-	12.5
	4	-	-	*	*	0.1	0.4	1.1	2.3	2.8	1.6	0.6	0.1	*	-	9.0
	5	-	-	-	*	*	0.1	0.2	0.5	0.7	0.6	0.3	*	*	-	2.4
	6	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	-	-	0.3
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	*	0.3	1.6	4.1	6.7	7.0	4.3	1.7	0.1	*	-	25.8
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.2	0.3	0.1	0.1	*	*	-	0.9
61	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.5
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	0.2	0.3	0.3	0.1	*	*	-	-	-	0.9
32	1-2	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	*	-	-	0.4
	3	-	-	*	*	0.1	0.4	0.7	0.7	0.4	0.1	*	*	-	-	2.4
	4	-	-	*	*	*	0.2	0.5	0.6	0.3	0.1	*	*	-	-	1.8
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	*	0.2	0.7	1.4	1.5	0.9	0.3	0.1	*	-	-	5.1
42	1-2	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.9
	4	-	-	*	*	*	0.1	0.3	0.3	0.2	0.1	*	*	*	-	1.1
	5	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	*	-	0.6
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	*	0.1	0.4	0.7	0.8	0.6	0.2	0.1	*	*	-	2.8
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2

* Less than 0.05 percent.

Table 3. — Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	0.3	2.1	8.1	17.9	25.8	25.2	15.4	5.1	0.3	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.5														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		-														
Other - Level 1		-														

414,773 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.4	2.7	10.8	18.0	15.1	4.2	1.0	0.1	52.3
	3	-	-	-	-	-	*	0.1	0.4	2.2	4.3	3.7	0.8	0.2	*	11.7
	4	-	-	-	-	-	-	*	*	0.1	0.3	0.3	*	*	*	0.7
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	0.4	3.1	13.1	22.5	19.2	5.0	1.2	0.2	64.7
31	1-2	-	-	-	-	-	*	0.1	0.8	2.5	4.6	5.2	1.7	0.4	0.1	15.5
	3	-	-	-	-	-	*	*	0.6	1.9	2.9	2.9	0.9	0.3	*	9.6
	4	-	-	-	-	-	*	*	0.1	0.3	0.6	0.7	0.2	*	*	2.0
	5	-	-	-	-	-	-	*	*	0.1	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	0.2	1.5	4.8	8.2	8.8	2.9	0.8	0.1	27.3
41	1-2	-	-	-	-	-	-	*	0.2	0.4	0.3	0.2	*	*	*	1.1
	3	-	-	-	-	-	-	*	0.3	0.6	0.3	0.2	*	*	*	1.4
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.4
	5	-	-	-	-	-	-	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	*	0.1	0.6	1.2	0.7	0.6	0.1	*	*	3.3
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.6	0.8	0.3	*	*	*	1.9
	3	-	-	-	-	-	*	*	*	0.2	0.4	0.3	*	*	*	0.9
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.7	1.2	0.7	0.1	*	*	2.9
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	0.4
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	*	0.9
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	0.1	0.1	*	*	*	*	-	0.2
	5	-	-	-	-	-	-	-	0.1	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	*	0.1	0.2	0.1	0.1	*	*	*	-	0.5
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	0.1	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	*	*	*	*	*	-	0.2

* Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*		
TOTAL----		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*		
13 & 23	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	0.1		
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1		
33	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*		
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*		
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
24-54	1-7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
TOTAL, ALL-----		*	*	*	*	*	0.1	0.8	5.8	20.3	33.2	29.6	8.1	2.0	0.3	100.0		
EXTRANEEOUS MATTER																Average Staple	36.2	
																Percent Tenderable	80.6	
Bark - Level 1		0.6																
Bark - Level 2		*																
Grass - Level 1		0.1																
Grass - Level 2		*																
Prep - Level 1		-																
Prep - Level 2		-																
Other - Level 1		-																
Other - Level 1		-																

232,565 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. — Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.6	1.5	1.6	0.7	*	*	-	4.5
	3	-	-	-	-	*	*	0.1	1.0	1.9	1.7	0.9	*	*	-	5.6
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.2	1.6	3.5	3.4	1.7	*	*	-	10.4
31	1-2	-	-	-	-	*	*	0.2	1.0	2.4	2.3	0.7	*	*	-	6.6
	3	-	-	-	-	*	*	0.8	6.6	14.8	13.7	6.4	0.2	*	-	42.4
	4	-	-	-	-	*	*	0.2	2.3	6.2	5.7	3.6	0.2	*	-	18.2
	5	-	-	-	-	-	-	*	0.1	0.4	0.4	0.2	*	*	-	1.0
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	1.1	10.0	23.7	22.0	10.9	0.4	*	-	68.3
41	1-2	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	0.1	1.2	2.0	1.5	0.4	*	*	-	5.3
	4	-	-	-	-	*	*	0.2	1.6	3.9	3.9	1.9	*	*	*	11.5
	5	-	-	-	-	*	*	*	0.2	0.9	1.1	0.7	*	*	-	2.9
	6	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	0.3	3.0	7.0	6.6	3.1	0.1	*	-	20.1
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
32	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.3
42	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	0.2	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	-	0.7
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*

* Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	0.1	1.6	14.7	34.7	32.4	15.8	0.6	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bark - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1,099,411 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 1/8 -	28	29	30	31	32	33	34	35	36	37	38	39	40 1/8 +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	0.2	2.0	4.2	8.2	6.0	6.8	6.1	33.5
	3	-	-	-	-	-	-	*	*	0.1	0.8	3.3	1.2	1.0	0.7	7.2
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	0.2	2.1	5.0	11.5	7.3	7.9	6.8	40.7
31	1-2	-	-	-	-	-	*	*	0.2	1.3	2.8	3.8	3.1	5.3	9.6	26.0
	3	-	-	-	-	-	-	*	0.1	0.5	2.4	6.9	3.2	3.8	5.7	22.7
	4	-	-	-	-	-	-	-	-	*	0.1	0.9	0.2	0.2	0.3	1.7
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
TOTAL----		-	-	-	-	-	*	*	0.3	1.8	5.3	11.6	6.5	9.3	15.6	50.4
41	1-2	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	0.2	0.7	1.7
	3	-	-	-	-	-	-	*	*	0.1	0.4	0.7	0.3	0.5	2.4	4.5
	4	-	-	-	-	-	-	-	-	*	0.1	0.3	0.1	0.2	0.4	0.9
	5	-	-	-	-	-	-	-	-	*	*	*	*	0.1	*	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	0.3	0.7	1.2	0.5	1.0	3.6	7.4
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	0.1	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1	0.2
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	*	0.1	0.2
32	1-2	-	-	-	-	-	-	-	*	*	*	*	*	0.1	0.2	0.3
	3	-	-	-	-	-	-	-	*	*	*	*	*	0.1	0.2	0.3
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	0.1	0.4	0.7
42	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1	0.2
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	0.1	0.2	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	*	*	0.1

* Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY		December 2, 2010														
COLOR	LEAF	STAPLE														
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	-	0.1	0.6	4.2	11.1	24.5	14.4	18.4	26.8	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		-														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														
			Average Staple 38.2													
			Percent Tenderable 87.5													

213,510 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	-	*	-	0.1	0.3	0.4	0.7	0.6	*	-	-	2.1
	3	-	-	-	-	*	0.1	0.2	0.3	0.2	0.3	0.4	*	-	-	1.4
	4	-	-	-	-	-	-	*	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	0.1	0.4	0.5	0.6	1.0	0.9	0.1	*	-	3.6
31	1-2	-	-	-	*	*	0.5	1.8	2.3	2.4	2.4	1.2	0.1	-	-	10.8
	3	-	-	-	*	0.1	0.7	3.2	5.6	6.8	5.8	3.7	0.4	*	-	26.3
	4	-	-	-	-	*	0.1	0.2	0.5	0.8	0.9	1.1	0.2	*	-	3.7
	5	-	-	-	-	*	*	*	*	*	*	0.1	*	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	0.1	1.2	5.2	8.4	10.1	9.2	6.1	0.7	*	-	41.0
41	1-2	-	-	-	*	*	0.1	0.9	1.3	1.2	0.9	0.5	*	-	-	5.0
	3	-	-	-	-	*	0.8	4.3	7.9	7.6	5.9	2.7	0.1	*	-	29.4
	4	-	-	-	*	*	0.1	0.7	1.8	3.3	3.9	2.6	0.2	*	-	12.6
	5	-	-	-	-	*	*	0.1	0.1	0.4	0.7	0.7	0.1	*	-	2.0
	6	-	-	-	-	*	*	*	*	*	0.1	0.1	*	-	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	0.1	1.1	6.0	11.1	12.6	11.5	6.5	0.4	*	-	49.2
51	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.2	0.2	0.2	0.2	-	-	-	0.8
	4	-	-	-	-	-	-	*	0.1	0.3	0.3	0.2	*	*	-	1.0
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	0.1	0.3	0.6	0.7	0.5	0.1	*	-	2.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	*	*	-	-	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
32	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	-	-	0.8
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2
	5	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	-	-	1.3
42	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	-	-	0.8
	4	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	-	-	0.7
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.6	0.5	0.3	*	-	-	1.9
52	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.3

* Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 ■ +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	-	0.1
33	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	0.2	2.5	12	21.1	25	23.4	14.5	1.2	*	*	100
EXTRANEEOUS MATTER																
Bark - Level 1		0.6														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

100,989 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.2	0.4	0.5	0.6	0.4	*	*	-	2.3
	3	-	-	*	*	*	0.1	0.3	0.6	0.7	0.6	0.5	0.1	*	-	2.9
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.1	0.2	0.6	1.0	1.2	1.2	0.9	0.1	*	*	5.3
31	1-2	-	-	*	*	0.1	0.3	0.7	1.2	1.3	1.3	1.0	0.1	*	*	5.8
	3	-	-	*	*	0.3	1.4	3.7	7.4	9.1	7.3	4.6	0.6	*	*	34.4
	4	-	-	*	*	*	0.2	0.6	1.3	2.3	2.6	1.9	0.3	*	*	9.3
	5	-	-	*	*	*	*	*	0.1	0.1	0.2	0.2	*	*	*	0.7
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	0.1	0.5	1.8	5.0	9.9	12.8	11.4	7.6	1.0	0.1	*	50.2
41	1-2	-	-	-	*	*	0.1	0.2	0.2	0.2	0.2	0.1	*	*	-	0.9
	3	-	-	*	*	0.1	0.7	2.5	4.8	5.0	3.3	1.6	0.2	*	*	18.1
	4	-	-	*	*	*	0.3	1.1	2.9	4.4	3.9	2.3	0.4	0.1	*	15.3
	5	-	-	*	*	*	*	0.1	0.4	0.8	1.0	0.8	0.2	*	*	3.4
	6	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	0.2	1.0	3.8	8.4	10.5	8.5	4.8	0.7	0.1	*	38.1
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	-	0.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
32	1-2	-	-	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	-	0.1
	3	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	-	1.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.8
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	0.1	0.2	0.5	0.6	0.5	0.3	0.1	*	*	-	2.2
42	1-2	-	-	-	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	-	1.0
	3	-	-	*	*	*	0.1	0.2	0.4	0.4	0.2	0.1	*	*	-	1.5
	4	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	-	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	0.1	0.2	0.5	0.8	0.8	0.5	0.2	*	*	-	3.1
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.2

* Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	5	-	-	-	-	-	*	-	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	*	-	-	-	*	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	-	-	-	*	*	*	*	*	*	-	-	*
33	1-2	-	-	-	*	*	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	*	-	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
43	1-2	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
53	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	*	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	-	*	*	-	-	-	-	*
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	-	-	-	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	0.1	0.8	3.6	10.5	21.0	26.2	22.0	13.8	1.8	0.2	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.3															
Bark - Level 2	"															
Grass - Level 1	0.1															
Grass - Level 2	"															
Prep - Level 1	0.1															
Prep - Level 2	"															
Other - Level 1	*															
Other - Level 1	-															

1,586,572 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. " Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	0.1	0.3	1.1	5.0	9.8	7.8	3.7	0.2	*	-	28.1
	3	-	-	-	-	0.1	0.6	1.9	6.0	9.6	8.8	4.0	0.2	*	-	31.3
	4	-	-	-	-	*	0.1	0.8	0.6	1.9	1.0	0.3	*	-	-	4.7
	5	-	-	-	-	-	-	*	*	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	0.2	1.0	3.9	11.7	21.3	17.6	8.0	0.4	*	-	64.1
31	1-2	-	-	-	*	-	0.1	0.3	0.7	1.2	1.1	*	-	-	-	3.4
	3	-	-	-	*	0.1	0.9	0.7	1.9	4.2	3.6	2.7	0.1	*	-	14.2
	4	-	-	-	*	*	0.2	1.0	2.2	3.7	2.1	1.3	*	*	-	10.6
	5	-	-	-	-	*	*	0.5	0.6	1.6	0.3	0.3	*	-	-	3.3
	6	-	-	-	-	-	-	-	*	0.2	*	-	-	-	-	0.2
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	0.2	1.1	2.3	5.0	10.3	7.2	5.3	0.1	*	-	31.7
41	1-2	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	0.3	*	*	-	-	-	0.3
	6	-	-	-	-	-	-	-	*	0.1	-	*	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	0.1	0.5	*	0.1	-	-	-	0.7
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	0.1	0.3	0.1	*	-	-	-	0.5
	3	-	-	-	-	-	-	*	0.2	0.2	0.4	0.2	-	-	-	1.0
	4	-	-	-	-	-	-	-	*	*	0.1	0.1	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	0.2	0.5	0.6	0.3	-	-	-	1.7
32	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	-	-	-	0.7
	4	-	-	-	-	-	-	-	0.1	0.3	0.1	0.1	*	-	-	0.7
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	0.3	0.5	0.3	0.3	*	-	-	1.5
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	0.1	*	*	*	-	-	-	0.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	0.1	*	0.1	*	-	-	-	0.2
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	0.4	2.1	6.3	17.4	33.3	25.9	14	0.5	0.1	*	100
EXTRANEIOUS MATTER																
Bark - Level 1	9															Average Staple 35.2
Bark - Level 2	-															Percent Tenderable 63.7
Grass - Level 1	*															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	-															
Other - Level 1	-															

29,630 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.3	1.2	2.1	1.9	1.0	0.4	*	-	-	6.9
	3	-	-	-	-	*	0.3	1.0	2.1	2.5	1.5	0.5	*	-	-	7.9
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.7	2.2	4.4	4.6	2.6	0.9	*	-	-	15.5
31	1-2	-	-	-	*	*	0.2	0.8	1.5	1.2	0.7	0.3	*	*	-	4.8
	3	-	-	-	*	*	0.5	2.7	7.5	9.9	7.1	2.8	0.2	*	-	30.7
	4	-	-	-	-	*	0.1	1.1	3.7	6.3	5.5	2.1	0.1	*	-	18.9
	5	-	-	-	-	*	*	0.2	0.6	1.0	1.1	0.4	*	-	-	3.4
	6	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.8	4.8	13.4	18.5	14.5	5.6	0.3	*	-	57.9
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	3	-	-	-	-	*	0.1	0.4	1.0	1.2	0.7	0.3	*	*	-	3.7
	4	-	-	-	-	*	0.1	0.4	1.6	2.8	2.5	1.2	0.1	*	-	8.7
	5	-	-	-	-	*	*	0.2	1.0	2.5	2.3	0.9	*	*	-	6.9
	6	-	-	-	-	*	*	0.1	0.3	1.0	0.8	0.3	*	-	-	2.5
	7	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.3
TOTAL----		-	-	-	-	*	0.2	1.1	4.0	7.6	6.5	2.6	0.1	*	-	22.2
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	0.3
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	0.4
	6	-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
TOTAL----		-	-	-	-	-	0.1	0.2	0.3	0.2	0.1	*	-	-	-	0.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.2	0.4	0.4	0.2	*	*	-	1.2
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	4	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	0.8
	5	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	0.8
	6	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
TOTAL----		-	-	-	-	-	0.1	0.3	0.6	0.8	0.3	*	*	*	-	2.0
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1

* Less than 0.05 percent.

Table 10. — Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
43	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	0.1	1.7	8.3	22.6	32.1	25.1	9.7	0.5	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.1														
Bark - Level 2		-														
Grass - Level 1		0.3														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

438,808 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.2	0.8	1.7	2.0	1.5	0.5	*	*	-	6.8
	3	-	-	-	*	*	0.2	0.9	2.3	2.8	1.9	0.6	*	*	-	8.8
	4	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.4	1.8	4.2	5.0	3.6	1.1	*	*	*	16.2
31	1-2	-	-	-	*	*	0.1	0.4	1.0	1.2	0.9	0.3	*	*	-	4.0
	3	-	-	-	*	*	0.7	3.2	8.1	10.2	7.1	2.1	0.1	*	*	31.7
	4	-	-	-	*	*	0.3	1.6	5.1	7.5	5.2	1.9	0.2	*	*	21.7
	5	-	-	-	-	*	*	0.2	0.6	0.9	0.6	0.2	*	*	*	2.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
TOTAL----		-	-	-	*	0.1	1.1	5.4	14.8	19.8	13.9	4.6	0.3	0.1	*	60.0
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	*	*	*	0.2	0.6	0.7	0.4	0.1	*	*	*	2.1
	4	-	-	-	*	*	0.1	0.8	2.4	3.2	1.9	0.7	0.1	*	*	9.2
	5	-	-	-	*	*	*	0.3	1.4	2.0	1.4	0.5	0.1	*	*	5.7
	6	-	-	-	-	-	*	*	0.2	0.3	0.2	0.1	*	*	-	0.9
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
TOTAL----		-	-	-	*	0.2	1.3	4.6	6.3	4.0	1.5	0.1	*	*	*	18.1
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	0.1	0.1	0.1	*	*	-	-	-	0.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	-	0.4
32	1-2	-	-	-	-	*	0.1	0.2	0.3	0.4	0.2	*	-	-	-	0.1
	3	-	-	-	*	*	*	0.1	0.3	0.4	0.3	0.1	*	-	-	1.1
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	1.3
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	*	*	*	0.1	0.3	0.7	0.9	0.5	0.1	*	-	-	2.7
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	*	*	*	0.1	0.3	0.3	0.2	0.1	*	*	-	1.1
	5	-	-	-	*	*	*	0.1	0.2	0.3	0.2	*	*	*	-	0.7
	6	-	-	-	*	*	*	*	*	0.1	*	*	*	*	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	*	0.1	0.2	0.6	0.7	0.4	0.1	*	*	-	2.2
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2

* Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	-	0.1	2.0	9.2	25.1	33.0	22.5	7.5	0.5	0.1	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.1														Average Staple 34.9
Bark - Level 2		-														Percent Tenderable 47.3
Grass - Level 1		0.2														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 2		-														

812,202 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.1	0.5	1.8	2.0	0.6	*	*	-	5.0
	3	-	-	-	-	-	*	*	0.1	0.7	1.1	0.6	*	*	-	2.7
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	0.6	2.5	3.2	1.2	*	*	-	7.7
31	1-2	-	-	-	-	*	*	0.3	1.5	3.8	3.7	1.0	*	*	-	10.3
	3	-	-	-	-	*	*	0.6	4.0	12.8	17.3	7.6	0.2	*	*	42.5
	4	-	-	-	-	-	*	0.1	0.7	3.2	5.5	3.7	0.2	*	*	13.4
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	-	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	1.0	6.1	19.9	26.7	12.4	0.5	*	*	66.8
41	1-2	-	-	-	-	-	*	0.1	0.1	0.2	0.1	*	*	-	-	0.4
	3	-	-	-	-	*	*	0.3	1.6	3.1	2.2	0.5	*	*	-	7.7
	4	-	-	-	-	*	*	0.3	1.6	4.4	4.6	2.1	0.1	*	-	13.0
	5	-	-	-	-	-	*	*	0.1	0.7	1.0	1.0	0.1	*	-	3.0
	6	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.7	3.4	8.4	7.9	3.6	0.2	*	-	24.3
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	0.1	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	-	0.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	0.1	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	-	0.3
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	0.1	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	-	0.1	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	0.2	0.2	0.1	0.1	*	-	-	0.6
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*

* Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	-	-	0.1	1.9	10.5	31.3	38.1	17.4	0.7	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bark - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

704,878 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 -	28	29	30	31	32	33	34	35	36	37	38	39	40 +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	0.1	1.7	8.3	19.4	44.2	4.7	0.2	*	78.5
	3	-	-	-	-	-	*	*	0.1	0.7	1.1	2.4	0.5	-	*	4.8
	4	-	-	-	-	-	-	-	-	0.1	0.1	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	1.8	9.1	20.6	46.6	5.1	0.2	*	83.5
31	1-2	-	-	-	-	-	-	*	0.1	0.7	3.4	6.7	0.9	0.1	-	11.9
	3	-	-	-	-	-	-	*	0.1	0.4	0.8	1.3	0.1	*	-	2.8
	4	-	-	-	-	-	-	-	*	0.1	*	0.1	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	0.2	1.3	4.3	8.1	1.0	0.1	-	14.9
41	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	0.1	-	-	-	0.1
51	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	0.1	*	0.1	0.2	-	-	-	0.4
	3	-	-	-	-	-	-	-	*	*	0.1	0.4	*	*	-	0.5
	4	-	-	-	-	-	-	-	-	0.1	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	0.1	0.1	0.2	0.6	*	*	-	1.1
32	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	-	*	*	*	0.1	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	-	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	0.1	0.1	0.1	-	-	-	0.3
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL----		*	*	*	*	*	*	0.1	2.1	10.6	25.2	55.6	6.2	0.3	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.1														Average Staple 36.5
Bark - Level 2		-														Percent Tenderable 92.2
Grass - Level 1		-														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

19,326 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.2	0.6	1.0	0.8	0.3	*	-	-	-	2.9
	3	-	-	-	*	*	0.1	0.4	0.8	0.9	0.4	0.1	*	-	-	2.8
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.3	1.0	1.9	1.8	0.8	0.1	*	-	-	6.0
31	1-2	-	-	-	*	*	0.1	0.2	0.2	0.3	0.2	*	*	-	-	1.0
	3	-	-	-	*	0.1	0.3	0.8	1.4	1.9	1.4	0.4	*	*	-	6.3
	4	-	-	-	*	*	0.1	0.3	0.7	1.0	0.6	0.2	*	*	-	3.0
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	*	0.1	0.5	1.3	2.5	3.3	2.2	0.7	*	*	-	10.6
41	1-2	-	-	-	*	*	*	0.2	0.4	0.4	0.1	*	*	-	-	1.2
	3	-	-	-	*	*	0.1	0.8	3.0	4.8	2.9	0.9	0.1	*	*	12.6
	4	-	-	-	*	*	0.1	0.4	1.5	2.8	2.1	0.8	0.1	*	*	7.8
	5	-	-	-	-	*	*	0.1	0.2	0.5	0.5	0.2	*	*	-	1.6
	6	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	0.2	1.5	5.2	8.6	5.8	1.9	0.1	*	*	23.4
51	1-2	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	3	-	-	-	*	*	0.2	1.1	2.8	3.3	1.9	0.8	0.1	*	*	10.2
	4	-	-	-	-	*	0.1	0.8	2.3	3.4	2.0	0.8	0.1	*	*	9.5
	5	-	-	-	*	*	*	0.1	0.4	0.8	0.5	0.2	*	*	-	2.0
	6	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	0.4	2.2	5.8	7.7	4.5	1.7	0.2	*	*	22.6
61	1-2	-	-	-	*	*	-	*	*	*	*	*	*	-	-	-
	3	-	-	-	-	*	-	*	*	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	-	*	0.1	0.1	0.1	*	*	*	-	0.4
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2
	3	-	-	-	*	*	*	*	*	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
32	1-2	-	-	-	*	*	*	*	*	0.1	*	*	-	-	-	0.2
	3	-	-	-	*	*	*	0.1	0.2	0.3	0.2	*	*	-	-	0.8
	4	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.2	0.3	0.4	0.3	0.1	*	*	-	1.4
42	1-2	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.9
	3	-	-	-	-	*	0.1	0.7	2.2	3.0	1.6	0.3	*	*	-	7.9
	4	-	-	-	*	*	0.1	0.3	0.8	1.2	0.8	0.2	*	*	-	3.4
	5	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	0.2	1.1	3.5	4.7	2.7	0.6	*	*	-	12.9
52	1-2	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	*	-	-	0.7
	3	-	-	-	*	0.1	0.5	1.6	2.9	2.9	1.6	0.4	*	*	-	10.0
	4	-	-	-	*	*	0.2	0.8	2.2	2.7	1.4	0.4	*	*	-	7.7
	5	-	-	-	-	*	*	0.1	0.4	0.6	0.3	0.1	*	-	-	1.5
	6	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	0.1	0.8	2.7	5.7	6.4	3.4	0.9	*	*	*	20.1

* Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	-	*	1.1
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	0.1	*	*	*	-	-	0.2
43	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	0.1	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
53	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	-	0.3
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
63	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	0.4	2.6	10.4	25.7	33.9	20.3	6.2	0.4	*	*	100.0
EXTRANEEOUS MATTER		Average Staple														34.8
		Percent Tenderable														37.0
Bark - Level 1		0.1														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

890,718 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	0.4	1.6	5.2	14.5	26.1	15.5	1.3	0.2	*	64.8
	3	-	-	*	*	*	0.1	0.4	0.8	1.7	2.4	1.7	0.2	*	*	7.3
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	5	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	0.5	2.0	6.1	16.3	28.5	17.2	1.6	0.2	*	72.4
31	1-2	-	-	-	-	*	*	0.1	0.5	1.6	3.1	1.7	0.2	0.1	*	7.2
	3	-	-	-	-	*	0.1	0.4	0.8	1.5	2.2	1.3	0.2	*	*	6.6
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.5	0.3	0.1	*	*	1.8
	5	-	-	-	-	*	*	*	*	*	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.2	0.7	1.6	3.4	5.8	3.4	0.5	0.1	*	15.8
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	0.1	*	*	*	-	0.2
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.3	0.3	0.1	*	*	-	0.9
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	0.2	0.9	1.2	1.1	0.6	0.2	*	*	-	4.2
	3	-	-	-	*	*	0.1	0.2	0.3	0.4	0.3	0.1	*	*	-	1.5
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.3	1.1	1.6	1.5	1.0	0.3	*	*	-	5.8
32	1-2	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	0.7
	3	-	-	-	*	*	0.1	0.2	0.3	0.4	0.3	0.2	*	*	-	1.5
	4	-	-	-	-	*	*	0.1	0.2	0.1	0.1	0.1	*	*	-	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.2	0.4	0.6	0.7	0.6	0.3	*	*	-	2.9
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 15. — Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

[illegible]

211,991 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.3	0.4	0.4	0.3	*	*	-	-	1.6
	3	-	-	-	-	*	0.1	0.2	0.4	0.5	0.4	*	*	-	-	1.7
	4	-	-	-	-	-	*	-	*	0.1	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.5	0.8	1.0	0.7	0.2	*	-	-	3.4
31	1-2	-	-	-	-	*	*	0.2	0.5	0.6	0.6	0.1	*	*	-	2.3
	3	-	-	-	-	*	*	0.5	1.7	3.2	3.1	0.7	0.1	*	-	10.6
	4	-	-	-	-	-	*	*	0.3	0.7	0.8	0.2	*	*	*	2.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	TOTAL----	-	-	-	-	*	0.1	0.7	2.5	4.6	4.5	2.8	0.2	*	*	15.5
41	1-2	-	-	-	-	*	*	0.1	0.4	0.7	0.9	0.2	*	*	-	2.8
	3	-	-	-	-	*	0.2	1.2	4.8	9.0	8.9	2.1	0.4	*	-	30.2
	4	-	-	-	-	*	*	0.4	2.1	5.5	7.0	1.9	0.4	*	*	20.5
	5	-	-	-	-	-	*	*	0.2	0.8	1.4	0.5	0.2	*	*	4.1
	6	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.5
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	0.3	1.8	7.5	16.0	18.3	13.1	1.0	0.1	*	58.1
51	1-2	-	-	-	-	*	-	-	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	0.1	0.3	0.7	0.5	0.1	*	*	-	1.8
	4	-	-	-	-	-	*	0.1	0.3	0.9	0.9	0.2	*	*	-	2.8
	5	-	-	-	-	-	*	*	0.1	0.3	0.4	0.1	*	*	-	1.1
	6	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.3
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	TOTAL----	-	-	-	-	*	*	0.2	0.8	2.1	2.0	1.1	0.1	*	-	6.2
61	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
32	1-2	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	-	0.4
	3	-	-	-	-	*	*	0.1	0.3	0.6	0.5	0.1	*	*	-	1.7
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.2	0.4	0.9	0.7	0.2	*	*	-	2.4
42	1-2	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	-	-	0.6
	3	-	-	-	-	*	0.1	0.3	1.2	2.3	1.8	0.3	*	*	-	6.5
	4	-	-	-	-	*	*	0.1	0.4	1.1	1.2	0.2	*	*	-	3.5
	5	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	0.7
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	0.1	0.4	1.9	3.8	3.5	1.7	0.1	*	-	11.4
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	*	*	0.2	0.3	0.2	*	*	-	-	0.7
	4	-	-	-	-	-	*	*	0.1	0.3	0.3	*	*	-	-	0.9
	5	-	-	-	-	-	*	*	0.1	0.1	0.2	*	*	-	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	0.1	0.4	0.8	0.7	0.3	*	*	-	-	2.2

* Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
43	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.3
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	0.1	0.7	3.9	14.5	29.2	30.6	19.5	1.5	0.1	*	100.0
EXTRANEEOUS MATTER		Average Staple														35.5
		Percent Tenderable														63.3
Bark - Level 1		0.3														
Bark - Level 2		-														
Grass - Level 1		0.2														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

263,874 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 5 -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.4	2.7	6.7	6.3	2.4	0.3	*	-	-	18.9
	3	-	-	-	-	*	0.2	1.4	4.1	5.4	2.9	0.6	*	*	-	14.7
	4	-	-	-	-	-	*	*	0.2	0.3	0.2	0.1	*	-	-	0.8
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.6	4.1	11.0	12.0	5.6	1.1	*	*	-	34.4
31	1-2	-	-	-	-	*	0.3	1.5	2.9	2.3	1.0	0.2	*	-	-	8.1
	3	-	-	-	*	*	0.8	4.8	10.8	11.7	6.0	1.3	*	*	-	35.5
	4	-	-	-	-	*	0.1	1.1	3.2	4.3	3.0	1.0	*	*	-	12.8
	5	-	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	1.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	1.2	7.4	17.0	18.6	10.4	2.8	0.1	*	-	57.6
41	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	0.1	0.3	0.6	0.6	0.3	0.1	*	*	-	2.0
	4	-	-	-	-	*	0.1	0.4	0.9	1.0	0.7	0.2	*	*	-	3.4
	5	-	-	-	-	*	*	*	0.2	0.4	0.4	0.2	*	-	-	1.3
	6	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	0.3
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.8	1.7	2.2	1.5	0.6	*	*	-	7.0
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	0.1	0.1	*	*	*	*	-	0.2
	5	-	-	-	-	-	-	-	0.1	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	0.1	0.2	0.2	0.1	*	*	-	0.5
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	0.1	0.1	*	*	*	*	-	0.2
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY		STAPLE														
COLOR	LEAF	26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	*	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	*	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	-	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	0.1	2.0	12.5	30.0	33.2	17.6	4.5	0.2	*	*	100.0
EXTRANEIOUS MATTER		Average Staple Percent Tenderable														
Bark - Level 1		*														
Bark - Level 2		-														
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

667,039 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. — Texas: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	*	0.1	0.7	2.6	6.5	10.5	11.6	75.3	2.3	0.3	*	45.3
	3	-	-	*	*	*	0.2	0.7	2.0	3.9	5.3	44.1	1.9	0.4	*	20.6
	4	-	-	*	*	*	*	0.1	0.1	0.3	0.4	3.2	0.2	*	*	1.6
	5	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	0.2	0.9	3.4	8.7	14.8	17.4	17.2	4.3	0.7	*	67.6
31	1-2	-	-	*	*	*	0.1	0.2	0.4	0.5	0.5	2.5	0.1	*	*	2.0
	3	-	-	*	*	*	0.1	0.3	1.0	1.9	2.4	20.6	0.9	0.1	*	9.6
	4	-	-	*	*	*	*	0.1	0.4	0.8	1.2	10.3	0.5	0.1	*	4.6
	5	-	-	-	*	*	*	*	0.1	0.1	0.2	1.1	0.1	*	*	0.6
	6	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	0.2	0.7	1.8	3.3	4.3	4.8	1.5	0.3	*	16.9
41	1-2	-	-	*	*	*	*	*	*	*	*	0.1	*	*	*	0.2
	3	-	-	-	*	*	*	0.1	0.3	0.6	0.5	3.0	0.1	*	*	2.0
	4	-	-	-	*	*	*	*	0.2	0.4	0.6	4.9	0.2	*	*	2.1
	5	-	-	-	*	*	*	*	0.1	0.1	0.2	1.4	0.1	*	*	0.6
	6	-	-	-	-	*	*	*	*	*	*	0.3	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	*
	TOTAL----	-	-	*	*	*	0.2	0.6	1.1	1.3	1.4	0.3	0.1	*	*	5.0
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.5	*	*	*	0.3
	4	-	-	-	-	-	-	*	*	0.1	0.1	1.0	*	*	*	0.4
	5	-	-	-	-	-	-	*	*	*	*	0.4	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	0.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	*	*	*	*	*	0.1	0.2	0.3	0.3	0.9	*	*	*	1.2
	3	-	-	*	*	*	*	0.1	0.2	0.4	0.4	1.9	0.1	*	*	1.5
	4	-	-	*	*	*	*	*	*	0.1	0.1	0.4	*	*	*	0.3
	5	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	*	0.1	0.3	0.5	0.8	0.7	0.5	0.1	*	*	2.9
32	1-2	-	-	*	*	*	*	*	*	*	*	0.1	*	*	*	0.2
	3	-	-	*	*	*	0.1	0.1	0.2	0.2	0.2	1.2	*	*	*	1.0
	4	-	-	*	*	*	*	0.1	0.1	0.1	0.2	1.0	*	*	*	0.8
	5	-	-	*	*	*	*	*	*	*	0.1	0.4	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	0.1	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	0.1	0.3	0.4	0.4	0.4	0.4	0.1	*	*	2.2
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	0.1	0.1	0.2	0.1	0.6	*	*	*	0.6
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.2	1.2	*	*	*	1.0
	5	-	-	-	*	*	*	*	0.1	0.1	0.1	0.5	*	*	*	0.4
	6	-	-	-	-	*	*	*	*	*	*	0.2	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	*
	TOTAL----	-	-	-	*	*	0.1	0.2	0.4	0.6	0.5	0.4	0.1	*	*	2.2
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.5	*	*	*	0.3
	5	-	-	-	-	*	*	*	*	*	0.1	0.4	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.2	*	*	*	0.8

* Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	0.1	*	*	-	0.1
	3	-	-	-	*	*	*	*	*	*	*	0.2	*	*	*	0.2
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.3
33	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	0.1	0.1	0.4	*	*	*	0.2
	4	-	-	-	*	*	*	*	*	*	*	0.2	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	0.2	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	0.1	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	0.3	1.4	5.1	12.7	21.8	25.4	25.3	0.7	1.2	0.1	100.0
EXTRANEEOUS MATTER		Average Staple														35.7
		Percent Tenderable														75.4
Bark - Level 1		6.5														
Bark - Level 2		*														
Grass - Level 1		0.3														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

5,038,528 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. - Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	0.1	0.5	1.5	2.1	1.2	0.3	*	-	-	-	5.8
	3	-	-	-	-	0.1	0.6	1.6	1.8	1.3	0.4	*	-	-	-	5.7
	4	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	-	-	-	0.5
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	1.1	3.2	4.1	2.7	0.8	0.1	-	-	-	12.1
31	1-2	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.4
	3	-	-	-	*	0.1	0.6	1.3	1.1	0.8	0.2	*	-	-	-	4.0
	4	-	-	-	*	*	0.2	0.5	0.7	0.6	0.2	*	*	-	-	2.4
	5	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.2	0.9	2.0	2.0	1.5	0.4	*	*	-	-	7.0
41	1-2	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	-	-	-	0.7
	3	-	-	-	*	*	0.1	0.8	2.4	3.4	2.3	0.1	-	-	-	9.4
	4	-	-	-	-	*	*	0.1	0.4	0.8	1.1	0.1	*	*	-	2.7
	5	-	-	-	-	*	*	*	*	*	0.1	*	*	-	-	0.3
	6	-	-	-	-	*	*	*	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.2	1.1	3.1	4.5	3.5	0.9	*	*	-	13.2
51	1-2	-	-	-	-	*	0.1	0.3	0.4	0.1	*	*	-	-	-	1.0
	3	-	-	-	-	0.1	0.6	2.8	6.5	6.4	1.9	*	*	-	-	18.4
	4	-	-	-	-	*	0.1	0.8	3.1	3.9	1.9	*	-	-	-	10.2
	5	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	-	-	-	1.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.1	0.8	4.0	10.2	10.8	4.1	0.5	*	-	-	30.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	-	0.2
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	-	-	0.5
	3	-	-	-	-	*	0.1	0.1	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.3	0.3	0.3	0.1	*	-	-	-	1.1
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.1	0.2	0.1	0.1	*	*	-	-	-	0.5
	4	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.2	0.3	0.3	0.1	*	*	-	-	-	1.0
42	1-2	-	-	-	-	*	0.1	0.2	0.4	0.3	0.1	*	-	-	-	1.0
	3	-	-	-	-	*	0.2	0.7	1.2	1.8	1.1	*	-	-	-	5.1
	4	-	-	-	-	*	*	*	0.1	0.3	0.4	*	-	-	-	1.0
	5	-	-	-	-	*	*	*	*	*	0.1	*	-	-	-	0.1
	6	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.2	0.9	1.7	2.4	1.6	0.3	-	-	-	7.3
52	1-2	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	-	-	-	0.8
	3	-	-	-	*	0.1	1.0	3.5	6.0	4.9	1.2	*	-	-	-	16.9
	4	-	-	-	-	*	0.2	0.8	2.1	2.9	1.4	*	-	-	-	7.6
	5	-	-	-	*	*	*	0.1	0.2	0.3	0.3	*	-	-	-	1.0
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.2	1.4	4.8	8.7	8.2	2.9	0.2	-	-	-	26.4

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
December 2, 2010

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.2
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
43	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
53	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	0.1	0.2	0.1	*	-	-	-	-	0.4
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.2	*	*	-	-	-	0.6
63	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	0.6	5.1	16.8	30.9	30.9	13.5	2.1	*	*	*	100.0
EXTRANEEOUS MATTER																Average Staple 34.4
Bark - Level 1		*														Percent Tenderable 32.3
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

103,672 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through December 2, 2010

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
MIKE 24 $\frac{1}{8}$ below	-	*	-	*	-	-	0.2	*	-
25	-	*	*	*	-	*	0.5	*	*
26	-	*	*	*	-	-	1.8	*	*
27	*	*	*	0.1	-	*	1.1	*	*
28	*	*	*	0.2	*	*	0.8	*	*
29	*	0.1	*	0.4	-	*	1.5	*	*
30	*	0.1	*	0.7	*	*	2.7	*	*
31	*	0.1	*	1.2	*	*	2.5	*	*
32	*	0.1	*	2.0	*	*	2.3	*	*
33	0.1	0.2	*	2.6	*	*	3.4	*	*
34	0.1	0.4	*	4.0	*	0.1	4.5	*	*
35	0.2	0.5	*	5.2	0.1	0.1	4.5	*	*
36	0.3	0.9	*	6.0	0.1	0.1	4.2	0.1	*
37	0.5	1.1	*	7.2	0.1	0.2	4.3	0.1	0.1
38	0.7	1.6	0.1	8.3	0.1	0.3	4.7	0.1	0.1
39	1.2	2.3	0.1	8.6	0.3	0.5	4.5	0.2	0.2
40	1.8	2.9	0.2	8.2	0.4	0.9	5.5	0.4	0.3
41	2.9	3.5	0.4	7.7	0.8	1.4	5.8	0.6	0.4
42	4.4	4.2	0.7	7.5	1.4	2.3	7.0	1.0	0.8
43	6.3	5.8	1.4	7.5	2.4	3.4	7.0	1.7	1.5
44	7.4	7.6	2.4	6.5	3.8	5.0	4.8	2.9	2.6
45	8.6	9.1	4.3	5.5	6.9	7.2	5.3	4.0	4.2
46	9.8	10.3	6.8	4.3	10.9	9.6	5.6	5.7	6.1
47	10.4	11.3	9.7	2.7	13.6	11.6	5.0	7.9	8.7
48	10.2	11.1	12.2	1.7	14.6	12.6	3.7	10.4	11.4
49	9.6	10.0	14.0	1.2	14.0	12.9	2.9	13.7	13.9
50	8.7	8.1	15.2	0.6	11.9	11.7	1.7	15.6	14.8
51	6.8	5.3	14.1	0.2	8.6	8.9	1.1	14.2	13.8
52	4.8	2.4	10.3	0.1	5.2	5.8	0.8	10.3	10.3
53	3.1	0.8	5.4	*	2.6	3.2	0.1	6.0	6.2
54	1.4	0.2	2.1	*	1.3	1.4	-	3.0	3.2
55	0.5	*	0.4	*	0.7	0.5	-	1.3	0.9
56	0.1	*	0.1	-	0.2	0.1	-	0.4	0.2
57	*	*	*	*	*	*	-	0.1	*
58	*	-	*	*	*	*	-	*	*
59	*	*	-	-	-	*	-	*	-
60 & above	*	-	*	-	-	*	-	-	*
Average mike	47	46	49	40	48	48	40	49	49
FIBER STRENGTH 1/									
17 $\frac{1}{8}$ below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	*	-	-	-
19	-	-	-	-	-	*	-	-	-
20	-	-	-	-	-	*	-	-	-
21	*	-	-	-	-	*	-	-	-
22	*	-	-	-	*	*	0.1	-	*
23	0.1	-	-	-	0.1	0.1	0.1	-	*
24	0.5	-	*	-	0.3	0.3	1.1	*	*
25	1.7	0.1	*	*	1.5	0.9	1.5	0.4	0.3
26	4.8	0.6	0.3	*	5.1	2.4	4.6	2.2	1.5
27	11.0	4.0	1.6	0.3	12.3	5.8	14.4	8.2	5.6
28	18.8	13.4	7.1	1.8	18.4	12.1	13.7	18.3	15.1
29	22.7	22.3	17.8	5.5	20.5	19.3	13.0	24.1	25.3
30	19.0	22.5	24.5	5.7	18.3	21.9	16.2	21.7	23.5
31	12.1	17.7	21.4	4.5	12.7	17.5	14.1	14.6	15.2
32	6.0	11.4	15.0	4.9	6.8	10.8	11.2	7.2	8.0
33	2.4	5.5	8.5	12.1	2.7	5.4	5.8	2.6	3.7
34	0.8	1.9	3.1	25.5	1.0	2.4	3.1	0.4	1.5
35	0.2	0.5	0.7	23.3	0.2	0.8	0.8	0.1	0.4
36 & above	*	0.1	0.1	16.5	*	0.2	0.3	*	0.1
Average strength	29.1	30.0	30.5	33.6	29.1	29.9	29.5	29.4	29.7

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through December 2, 2010

MIKE AND FIBER STRENGTH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE 24 & below	*	-	-	*	-	*	*	-	*
25	-	0.1	-	*	-	*	*	*	*
26	-	-	*	*	-	*	0.1	*	*
27	*	*	*	*	*	*	0.1	*	0.1
28	*	0.2	*	*	*	*	0.2	*	0.1
29	*	0.6	*	*	*	*	0.3	*	0.1
30	*	0.2	*	*	*	*	0.5	*	0.2
31	*	0.6	*	*	*	*	0.7	*	0.3
32	*	0.8	*	0.1	*	*	1.0	*	0.5
33	*	1.6	*	0.2	0.1	*	1.4	*	0.6
34	*	2.2	*	0.2	0.1	*	1.8	*	0.8
35	*	3.1	0.1	0.4	0.1	0.1	2.3	*	1.1
36	*	5.1	0.1	0.5	0.2	0.1	3.0	*	1.4
37	0.1	4.6	0.1	0.9	0.3	0.2	3.6	0.1	1.7
38	0.1	7.6	0.2	1.2	0.5	0.3	4.3	0.2	2.0
39	0.3	9.1	0.4	1.6	0.7	0.5	5.1	0.4	2.4
40	0.5	8.9	0.6	2.1	1.0	0.8	5.9	0.5	2.9
41	0.8	9.5	0.9	2.7	1.6	1.4	6.6	1.0	3.4
42	1.3	10.2	1.6	3.5	2.7	2.2	7.3	1.6	4.1
43	2.2	8.7	2.4	4.7	4.3	3.4	7.8	2.2	4.9
44	3.6	7.0	3.7	5.5	6.4	5.2	8.1	3.1	5.8
45	5.5	7.2	5.5	6.0	8.9	7.4	8.1	4.3	6.9
46	7.9	5.5	7.5	7.4	10.8	9.9	7.7	5.9	7.9
47	10.5	3.3	9.4	9.6	12.3	12.2	6.9	7.0	8.8
48	12.3	1.7	11.0	11.4	12.7	13.5	5.8	7.9	9.3
49	12.9	1.3	12.1	12.7	12.1	12.8	4.5	9.1	9.3
50	12.9	0.8	12.1	12.5	10.1	10.4	3.2	10.1	8.6
51	11.0	0.3	10.8	9.0	7.3	7.8	2.0	12.2	7.0
52	8.3	0.1	8.8	4.9	4.5	5.5	1.1	12.4	4.9
53	5.6	-	6.3	2.0	2.3	3.3	0.5	10.9	2.9
54	3.1	-	3.8	0.7	0.9	1.9	0.1	7.0	1.4
55	0.9	-	1.9	0.2	0.2	0.8	*	3.0	0.5
56	0.1	-	0.6	*	*	0.2	*	0.8	0.1
57	*	-	0.1	*	*	*	*	0.2	*
58	*	-	*	-	*	*	*	*	*
59	-	-	*	-	-	-	-	*	*
60 & above	-	-	*	-	-	-	-	-	-
Average mike	49	41	49	47	47	48	43	50	46
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	*	-	-	-	-	*
19	-	-	-	*	-	-	*	-	*
20	-	-	-	-	-	-	*	-	*
21	-	-	-	*	-	-	*	-	*
22	-	-	-	*	-	-	*	-	*
23	-	-	*	*	-	*	0.1	-	*
24	*	-	0.1	*	*	*	0.3	*	0.2
25	*	*	0.9	0.1	0.5	0.3	0.8	0.5	0.6
26	0.2	0.4	3.9	0.3	2.2	1.4	2.3	3.0	2.0
27	0.9	6.5	12.2	1.2	7.4	4.9	5.7	11.4	5.7
28	3.4	24.8	24.1	4.0	16.4	12.9	11.2	26.3	12.3
29	11.3	28.8	26.8	10.6	23.4	22.1	16.5	31.5	18.8
30	23.1	18.2	18.3	19.6	22.0	25.6	19.1	18.3	20.7
31	25.9	11.8	9.0	25.6	15.6	19.0	17.7	6.5	17.2
32	20.0	7.6	3.5	20.5	8.6	9.1	13.4	1.9	11.6
33	10.1	1.8	1.1	11.1	3.4	3.4	8.0	0.5	6.3
34	3.9	0.1	0.1	4.8	0.3	1.1	3.5	*	2.9
35	1.1	*	*	1.6	*	0.3	1.0	*	1.1
36 & above	0.1	*	*	0.6	*	*	0.3	-	0.4
Average strength	30.9	29.3	28.8	31.0	29.5	29.8	30.1	28.7	30.0

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through December 2, 2010

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	*	-	-	-	-
73.5-74.4	-	-	-	-	-	*	*	-	-
74.5-75.4	*	-	-	-	*	*	*	-	*
75.5-76.4	0.2	*	-	-	0.3	0.2	0.1	*	*
76.5-77.4	1.2	*	*	-	1.4	0.9	0.8	0.2	*
77.5-78.4	5.0	0.3	0.2	0.1	5.3	3.5	4.4	1.7	0.6
78.5-79.4	13.9	3.5	1.4	0.8	12.3	9.5	15.1	7.2	3.6
79.5-80.4	25.4	19.3	7.8	5.7	19.9	17.5	25.8	19.4	15.2
80.5-81.4	29.7	35.6	32.0	19.3	24.9	24.5	26.1	32.7	36.1
81.5-82.4	18.8	29.1	42.6	34.9	22.1	26.3	21.3	26.9	33.2
82.5-83.4	5.1	10.5	14.5	18.7	10.8	14.2	6.2	10.2	10.3
83.5-84.4	0.6	1.6	1.5	17.7	2.8	3.0	0.2	1.7	1.1
84.5-85.4	*	0.1	0.1	2.7	0.3	0.2	*	*	*
85.5-86.4	-	*	*	0.1	*	*	*	-	*
86.5-87.4	-	-	-	*	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	80.5	81.2	81.6	82.2	80.8	81.1	80.6	81.1	81.3
TRASH 2/									
0.0	-	*	-	*	*	*	-	-	*
0.1	4.2	37.4	3.3	19.5	3.6	1.5	9.7	4.2	3.6
0.2	22.9	40.5	21.3	43.9	25.3	16.6	31.5	20.4	17.5
0.3	29.3	13.8	29.2	23.6	30.0	29.1	26.8	24.3	23.7
0.4	21.4	4.6	22.4	8.8	19.7	24.4	16.9	19.0	21.0
0.5	12.0	1.8	12.9	2.8	11.0	14.7	8.2	12.7	15.1
0.6	5.6	0.9	6.3	0.9	5.7	7.5	3.9	8.0	9.3
0.7	2.5	0.4	2.7	0.3	2.7	3.5	1.9	5.0	5.1
0.8	1.1	0.2	1.1	0.1	1.2	1.6	0.8	2.9	2.5
0.9	0.5	0.1	0.4	0.1	0.5	0.7	0.3	1.7	1.2
1.0	0.2	0.1	0.2	*	0.2	0.3	0.1	0.9	0.5
1.1	0.1	*	*	*	0.1	0.1	*	0.4	0.2
1.2	0.1	*	*	*	*	0.1	*	0.2	0.1
1.3	*	*	*	*	*	*	-	0.1	*
1.4	*	*	*	*	*	*	-	0.1	*
1.5	*	*	*	-	*	*	-	*	*
1.6	*	*	*	-	*	*	-	*	*
1.7	*	*	*	*	-	*	-	*	*
1.8 & above	*	*	*	-	*	*	-	*	*
Average trash	0.35	0.20	0.36	0.24	0.35	0.39	0.31	0.40	0.40

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through December 2, 2010

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	*	-	*
72.5-73.4	-	-	-	*	-	-	*	-	*
73.5-74.4	-	-	-	*	-	-	*	-	*
74.5-75.4	-	-	-	*	-	-	*	-	*
75.5-76.4	*	-	-	*	-	*	0.1	-	0.1
76.5-77.4	*	-	*	0.2	-	*	0.7	-	0.5
77.5-78.4	0.3	*	0.4	0.9	0.5	1.0	3.2	0.2	2.1
78.5-79.4	1.9	1.0	3.4	4.3	3.8	5.2	10.0	2.7	7.1
79.5-80.4	8.5	12.3	14.5	15.4	12.6	18.0	21.6	13.5	17.5
80.5-81.4	28.6	48.9	32.9	33.0	27.6	34.6	29.0	35.3	29.9
81.5-82.4	41.3	35.8	33.2	31.8	34.0	29.8	21.9	36.4	28.2
82.5-83.4	17.1	2.0	13.5	12.6	17.9	10.1	10.1	10.8	11.8
83.5-84.4	2.2	*	2.1	1.6	3.5	1.3	3.0	1.0	2.6
84.5-85.4	0.1	*	*	0.1	0.1	*	0.4	*	0.2
85.5-86.4	*	-	-	*	-	*	*	-	*
86.5-87.4	-	-	-	-	-	-	*	-	*
87.5-88.4	-	-	-	-	-	-	*	-	*
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.6	81.2	81.4	81.3	81.5	81.2	80.9	81.4	81.2
TRASH 2/									
0.0	*	*	*	0.1	-	*	*	-	*
0.1	5.5	57.5	1.7	47.0	1.4	11.8	23.0	2.6	13.0
0.2	23.0	33.7	11.4	33.3	12.4	33.9	33.9	15.6	26.3
0.3	28.4	6.3	23.2	10.5	24.3	27.2	20.5	28.1	23.9
0.4	20.6	1.7	24.6	4.5	24.1	14.8	11.0	26.0	16.7
0.5	11.8	0.5	18.3	2.1	16.8	6.9	5.6	15.3	9.9
0.6	6.0	0.2	11.0	1.1	10.0	3.0	2.9	7.3	5.2
0.7	2.8	0.1	5.6	0.6	5.5	1.3	1.5	3.2	2.6
0.8	1.2	*	2.5	0.3	2.8	0.6	0.8	1.2	1.2
0.9	0.5	-	1.1	0.2	1.4	0.2	0.4	0.5	0.6
1.0	0.2	-	0.4	0.1	0.7	0.1	0.2	0.1	0.3
1.1	0.1	-	0.2	0.1	0.4	0.1	0.1	0.1	0.1
1.2	*	-	0.1	*	0.1	*	0.1	*	0.1
1.3	*	-	*	*	0.1	*	*	*	*
1.4	*	-	*	*	*	*	*	*	*
1.5	*	-	*	*	*	*	*	-	*
1.6	*	-	*	*	*	*	*	-	*
1.7	-	-	*	*	*	*	*	-	*
1.8 & above	-	-	*	*	*	*	*	-	*
Average trash	0.35	0.15	0.43	0.19	0.43	0.29	0.27	0.38	0.32

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through December 2, 2010

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	-	9.1	-	-	9.0
	2	-	14.0	-	-	14.1
	3	-	0.3	-	-	0.3
	4	-	-	-	-	-
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	23.4	-	-	23.4
02	1	-	9.7	-	-	9.9
	2	-	41.9	-	-	43.3
	3	-	10.7	-	-	10.0
	4	-	0.3	-	-	0.2
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	62.6	-	-	63.5
03	1	-	0.1	-	-	0.1
	2	-	3.7	-	-	3.5
	3	-	7.1	-	-	6.6
	4	-	1.5	-	-	1.4
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	-	-	-	-
Total -----		-	12.4	-	-	11.6
04	1	-	*	-	-	*
	2	-	0.1	-	-	0.1
	3	-	0.6	-	-	0.6
	4	-	0.6	-	-	0.5
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	*	-	-	*
Total -----		-	1.3	-	-	1.2
05	1	-	-	-	-	-
	2	-	-	-	-	-
	3	-	0.1	-	-	0.1
	4	-	0.2	-	-	0.2
	5	-	0.1	-	-	0.1
	6	-	*	-	-	*
	7	-	*	-	-	*
Total -----		-	0.3	-	-	0.3
06	1	-	-	-	-	-
	2	-	*	-	-	*
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	*	-	-	*
07	1	-	-	-	-	-
	2	-	-	-	-	-
	3	-	-	-	-	-
	4	-	-	-	-	-
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	-	-	-	-
STAPLE		-	-	-	-	-
40 & shorter		-	*	-	-	*
42		-	*	-	-	*
44		-	1.2	-	-	1.3
46		-	18.7	-	-	21.7
48 & longer		-	80.0	-	-	77.0
Average		-	48.0	-	-	48.0
UNIFORMITY		-	-	-	-	-
72.4 & below		-	-	-	-	-
72.5-73.4		-	-	-	-	-
73.5-74.4		-	-	-	-	-
74.5-75.4		-	-	-	-	-
75.5-76.4		-	-	-	-	-
76.5-77.4		-	-	-	-	-
77.5-78.4		-	-	-	-	-
78.5-79.4		-	-	-	-	-
79.5-80.4		-	-	-	-	-
80.5-81.4		-	*	-	-	*
81.5-82.4		-	0.2	-	-	0.2
82.5-83.4		-	1.4	-	-	1.3
83.5-84.4		-	8.3	-	-	7.8
84.5-85.4		-	34.6	-	-	32.8
85.5-86.4		-	45.0	-	-	47.1
86.5-87.4		-	9.7	-	-	10.0
87.5-88.4		-	0.8	-	-	0.8
88.5-89.4		-	*	-	-	*
89.5 & above		-	-	-	-	-
Average		-	85.5	-	-	85.5
BALES CLASSED		0	216,012	0	0	231,931

* Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through December 2, 2010

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	*	-	-	*
25 - 26	-	0.2	-	-	0.2
27 - 29	-	0.9	-	-	0.9
30 - 32	-	2.2	-	-	2.1
33 - 34	-	4.1	-	-	3.9
35 - 36	-	13.9	-	-	13.0
37 - 42	-	73.5	-	-	71.0
43 - 49	-	5.1	-	-	9.0
50 - 52	-	-	-	-	-
53 & above	-	-	-	-	-
Average	-	38	-	-	38
ALL MIKE					
24 & below	-	*	-	-	*
25	-	*	-	-	*
26	-	0.1	-	-	0.1
27	-	0.3	-	-	0.2
28	-	0.3	-	-	0.3
29	-	0.4	-	-	0.4
30	-	0.5	-	-	0.5
31	-	0.8	-	-	0.7
32	-	1.0	-	-	0.9
33	-	1.4	-	-	1.3
34	-	2.7	-	-	2.5
35	-	5.0	-	-	4.6
36	-	9.0	-	-	8.4
37	-	12.4	-	-	11.6
38	-	14.6	-	-	13.7
39	-	15.5	-	-	14.7
40	-	13.9	-	-	13.5
41	-	10.8	-	-	10.7
42	-	6.4	-	-	6.9
43	-	2.9	-	-	4.1
44	-	1.4	-	-	2.7
45	-	0.5	-	-	1.3
46	-	0.2	-	-	0.6
47	-	*	-	-	0.2
48	-	*	-	-	*
49	-	*	-	-	*
50	-	-	-	-	-
51	-	-	-	-	-
52	-	-	-	-	-
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
Average	-	38	-	-	38
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	-	-	-	-
30	-	-	-	-	-
31	-	*	-	-	*
32	-	*	-	-	*
33	-	0.1	-	-	0.1
34	-	0.2	-	-	0.1
35	-	0.6	-	-	0.6
36	-	1.6	-	-	1.5
37	-	3.1	-	-	3.0
38	-	4.8	-	-	4.5
39	-	7.7	-	-	7.4
40	-	9.8	-	-	10.7
41	-	11.4	-	-	13.3
42	-	14.1	-	-	14.7
43	-	16.5	-	-	15.9
44	-	14.1	-	-	13.3
45 & above	-	16.0	-	-	14.9
Average	-	41.9	-	-	41.9
EXTRANEIOUS MATTER					
Bark	-	*	-	-	*
Grass	-	0.1	-	-	0.1
Spindle Twist	-	*	-	-	*
Preparation	-	0.3	-	-	0.3

* Less than 0.05 percent



1023120520

TABLE 1. - SUMMARY OF DATA FOR THE 1950-51 CROP YEAR			
State	Area, acres	Production, bushels	Yield, bushels per acre
Alabama	1,200,000	1,200,000	1.00
Arkansas	1,000,000	1,000,000	1.00
California	1,500,000	1,500,000	1.00
Colorado	1,000,000	1,000,000	1.00
Connecticut	100,000	100,000	1.00
Delaware	100,000	100,000	1.00
Florida	1,000,000	1,000,000	1.00
Georgia	1,000,000	1,000,000	1.00
Idaho	1,000,000	1,000,000	1.00
Illinois	1,000,000	1,000,000	1.00
Indiana	1,000,000	1,000,000	1.00
Iowa	1,000,000	1,000,000	1.00
Kansas	1,000,000	1,000,000	1.00
Kentucky	1,000,000	1,000,000	1.00
Louisiana	1,000,000	1,000,000	1.00
Maine	100,000	100,000	1.00
Maryland	100,000	100,000	1.00
Massachusetts	100,000	100,000	1.00
Michigan	1,000,000	1,000,000	1.00
Minnesota	1,000,000	1,000,000	1.00
Mississippi	1,000,000	1,000,000	1.00
Missouri	1,000,000	1,000,000	1.00
Montana	1,000,000	1,000,000	1.00
Nebraska	1,000,000	1,000,000	1.00
Nevada	1,000,000	1,000,000	1.00
New Hampshire	100,000	100,000	1.00
New Jersey	100,000	100,000	1.00
New Mexico	1,000,000	1,000,000	1.00
New York	1,000,000	1,000,000	1.00
North Carolina	1,000,000	1,000,000	1.00
North Dakota	1,000,000	1,000,000	1.00
Ohio	1,000,000	1,000,000	1.00
Oklahoma	1,000,000	1,000,000	1.00
Oregon	1,000,000	1,000,000	1.00
Pennsylvania	1,000,000	1,000,000	1.00
Rhode Island	100,000	100,000	1.00
South Carolina	1,000,000	1,000,000	1.00
South Dakota	1,000,000	1,000,000	1.00
Tennessee	1,000,000	1,000,000	1.00
Texas	1,000,000	1,000,000	1.00
Utah	1,000,000	1,000,000	1.00
Vermont	100,000	100,000	1.00
Virginia	1,000,000	1,000,000	1.00
Washington	1,000,000	1,000,000	1.00
West Virginia	100,000	100,000	1.00
Wisconsin	1,000,000	1,000,000	1.00
Wyoming	1,000,000	1,000,000	1.00
Total	10,000,000	10,000,000	1.00